Daewon PRODUCT LIST



The most important value for us is belief and trust.

1958.01. Founded Completed Hyangnam KGMP factory construction Established the Central Research Laboratory 1989.09. Listed on the Korea Securities Dealer Automated 1994.10 Quotation (KOSDAQ) Listed on the Korea Stock Exchange (KOSPI) Acquired approval of Pelubi Tablet as the 12th new drug 2007.04. developed in Korea 2008.01. 50th anniversary of foundation Awarded at the 10th Korea New Drug Development 2009.02. Award (Technology Prize; Pelubi Tab.) 2012.06. Certified as an Innovative Pharmaceutical Enterprise (Ministry of Health and Welfare) Designated as an Advanced Technology Center 2015.07. (Ministry of Commerce, Industry and Energy) 2015.12. Honored Grand Prize of Good Company Award (Citizens' Coalition for Economic Justice) Awarded at the 17th Korea New Drug 2016.02. Development Award (Technology Prize; Pelubi CR Tab.) 2018.06. ISO 37001 Approved Establishment of New Factory in Jincheon 2020.01. Acquired Keukdong H Pharm (transformed to Daewon Healthcare) 2021.06. 2024. 02. Acuqired SD Biotechnologies

Factory



- Jincheon Factory
- Plottage: 79,922 m²
- Capacity: 580 million of liquid dosage unit (Biggest capacity in Korea)



· Hyangnam Factory

- Plottage: 15,269 m²

- Capacity: 2 billion of solid dosage unit

25 million of liquid dosage unit

100 million of injectable dosage unit

Strength of Liquid Stick Sachet Specialized in CMO Business

We, Daewon Pharm., are specialized in manufacture of Liquid Stick Sachet.

Portable, Convenient and Fast!

- · Increased adherence of patients
- · More than 81% of repurchase rate
- · Possible to formulate diverse pharmaceuticals & food supplements



Expand to Overseas Business

Daewon Pharm is strategically positioning itself for robust expansion, with active operations including a subsidiary in Vietnam. Our approach involves licensing out advanced medications including the new drug such as Pelubi & Pelubi CR Tablets (NSAIDs), Megex-I Suspension (anticancer supplement), and Privituss Suspension (antitussive), with a particular focus on pharmerging markets. Our commitment extends to exporting cutting-edge technologies and distinct pharmaceutical offerings, all rooted in our proprietary platform technology. Additionally, we are actively exporting health functional supplements such as Oramin series (Korean Ginseng Vitamin) and probiotics.



Our vision heads to total health care company by acquiring Daewon Healthcare.

We acquired Daewon Healthcare as an affiliate specialized in manufacturing health functional supplement. Daewon Healthcare offers finished supplements such as multi-vitamin, probiotics and contract manufacture of customer brand.













DATES OF PHARMACOLLYTIC TOTAL

Product	Active ingredient	Indication	Dosage & Administration
lubi Tab. Analgesic			
Clinical Trial Pagewon Server 300y General Server 300y General Server 300y General Server Ser	Each tablet contains Pelubiprofen 30mg	Reduce symptoms of Osteoarthritis, Rheumatoid arthritis, Back pain (Lumbago) and Fever	1 Tab.(30mg), 3 times daily
lubi CR Tab. Anal	gesic		
Trial Trial 500 8 9 PRINT SALES	Each tablet contains Pelubiprofen 45mg	Reduce symptoms of Osteoarthritis, Rheumatoid arthritis, Back pain (Lumbago) and Acute pain	1 Tab. (45mg), twice daily.
ontran ER Tab.	nalgesic		
Tria TV PEC N NS N	Each tablet contains Acetaminophen 650mg Tramadol HCl 75mg	Moderate to severe chronic pain	Take 1 Tab. at first dose, administrate 2 Tabs. once, twice daily. (4 Tabs a day) Administration interval should be at least 12 hours. The maximum daily dose of Wontran ER tab is 4 Tabs.
rexone SR Tab.	Analassic		
Trial Tria	Each tablet contains Eperisone Hydrochloride 75mg	Painful muscle spasms associated with musculoskeletal disorders: cervical brachial syndrome, shoulder pain, back pain	Adults: 2 times a day, 1 tablet once (75 mg as eperisone hydrochloride) orally administered after meals. Increase or decrease appropriately according to age and symptoms. Take it whole without crushing, dividing, or chewing.
daewon Tab. Res	piratory		
To Tab. x 10 Codaewon Tab	Each tablet contains Dihydrocodeine bitartrate 5mg DL-Methylephedrine HCl 17.5mg Chlorpheniramine maleate 1.5mg Guaifenesin 50mg	Cough, Sputum	Adults: 2 Tabs., 3 times daily Children: 11~15years: 1~2 Tabs. /8~11years: 1 Tab. three times daily
zelex Nasal spray	Respiratory		
Nezelex Navid Spray (Authorized fund)	In 1 dose Mometasone Furoate 50 µg	Allergic rhinitis	If patients push the pump one time, Mometasone Furoate 100mg release(Mometasone Furoate monohydrate 0.05mg). Once daily, spraying twice in nasal.
zine _{Tab.} Respirato	ry		
Antihistamines		Rhinitis by seasonal allergy,	
Rizine Tab. (Cetrizine hydrochloride 10mg) 100 x 107a0s /	Each tablet contains Cetirizine HCI 10mg	Conjunctivitis, Chronic rhinitis,	Over 6 year and adults: 1 Tab., daily, administer in the evening.

Itching

Product	Active ingredient	Indication	Dosage & Administration

Codaewon Forte syr. Respiratory



In 100ml syrup Ammonium Chloride 1000mg Chlorpheniramine Maleate 15mg Antipyretic analgesic Dihydrocodeine Tartrate 50mg DI-methylephedrine HCl 131mg

The doses are different according to age.

Codaewon S syr. Respiratory



In 1mL Dihydrocodeine Tartrate Hydrochloride 10mg DL-Methylephedrine Hydrochloride 26.2mg Chlorpheniramine Maleate 3mg Ammonium Chloride 200mg Pelargonium Sidoides 11% Ethanol Extract (1→8~10) 1235.52mg

Improvement of symptoms and signs of acute bronchitis

Take 1 packet (20 mL) once for adults, 3 times a day.

Beposta B Tab. Respiratory



Each tablet contains Bepotastine besilate 10mg

Treatment of itching due to allergic conjunctivies

1 Tab., twice daily

Elstein Tab. / Cap. / Syr. Respiratory



Each tablet, capsule and syrup contains Erdosteine 300mg, 300mg and 35mg/mL

Relief of cough acute & chronic respiratory disease

Tablet and Capsule: 1 Cap, 2~3 times daily Syrup: 175~350mg, once or twice daily

Oseltawon Cap. Respiratory



Each capsule contains Oseltamivir phosphate 75mg

Treatment of Influenza

In adults and adolescents 13 years and older is 75 mg twice daily for 5 days.

Trigel Susp. Gastrointestinal



Each pouch(10mL) contains Oxethazaine 20mg Dried Aluminum hydroxide gel 582mg Magnesium hydroxide 196mg

Acute & Chronic pain, Gastritis, Duodenal ulcer, Esophagitis, Stomach pain by dyspepsia in radiotherapy

1/2~1 Pouch, 4 times daily

Eswonamp Tab. Gastrointestinal



Each tablet contains Esomeprazole magnesium 20, 40mg

GERD, Zolonger-Elison syndrome, Duodenal ulcer GERD: 20~40mg daily 20mg or 40mg

Duodenal Ulcer: 20mg daily



Product	Active ingredient	Indication	Dosage & Administration
scorten Tab. Gastroi	intestinal		
Clinical P Trial Ty 1 AASHELVARIA SHARP AND	Each tablet contains Esomeprazole Magnesium Trihydrate 11.15mg	Improvement of gastric mucosal lesions in acute gastritis and chronic gastritis	Adults: 1 tablet at a time, orally administered once a day. Children under 12 years of age: There is no case of administering this drug to children under 12 years of age.
otagel susp. Gastroin	ntestinal		
FOTAGEL Suspension Dioctahadral smectite	Each pouch(20mL) contains Dioctahedral smectite 3g	Pain symptoms after esophageal, gastroduodenal and enteric disease. Acute or chronic diarrhea.	Acute: 20mL, 3~4 times daily Children: under 6 months of age: 10mL, 2 times daily 6 months~5 years: 10mL, 3 times daily over 5 years: 20mL, 2~3 times daily
eegel susp. Gastroin	ntestinal		
Daemón unterior in a servicia de la constanta della constanta de la constanta de la constanta de la constanta	Each pouch(15mL) contains Almagate 1.5g	Gastroduodenal ulcer, Gastritis, Hyperchylia (heartburn, nausea, vomiting, gastric pain, belching up a bit of sour vomit), Reflux esophagitis.	1 Pouch(15mL) 3 times daily, in 1~2 hours after meals. In case of severe gastroduodenal ulcer, 1 Pouch(15mL) 4 times daily in 1~2 hours after meals or before sleeping.
intyrase Tab. Gasti	rointestinal		
PANTYRASE Tab. - Digestives - Digestives - Start floring to stack our consensus - Start floring - Star	Each tablet contains Pancreatin 175mg Ox bile Extract 25mg Dimethicone 25mg Hemicellulase 50mg	Dyspepsia, Anorexia, Abdominal fullness	Adults: 1~2 Tabs., 3 times daily
ariben _{Tab.} Gastroin	testinal		
BE COCCON P 2 M 2 M 2 M 2 M 2 M 2 M 2 M 2 M 2 M 2	Each tablet contains Rabeprazole sodium 10mg, 20mg	Gastric ulcer, Duodenal ulcer, Oesophagitis erosiva	Gastric ulcer, Duodenal ulcer: 10mg once daily, Oesophagitis erosive: 20mg once daily
asin dried svr. 125ma/5	mL, 250mg/5mL Antimicrobial		
lasin dried syr. 125mg/5	125mg/5mL : Each 1mL contains Clarithromycin 25mg(activity) 250mg/5mL: Each 1mL contains Clarithromycin 50mg(activity)	Upper & lower respiratory infection, skin infection, Mycobacterium infection	7.5mg/kg(as clarithromycin activity), Every 12 hours
lasin dried syr. 125mg/5	125mg/5mL: Each 1mL contains Clarithromycin 25mg(activity) 250mg/5mL: Each 1mL contains Clarithromycin 50mg(activity)	infection, skin infection,	,

Product	Active ingredient	Indication	Dosage & Administration
Wonfuroxime Inj. Anti	microbial		
WONFUROXIME inj. 750mg ROHUROXIME inj. 750mg	Each vial contains Cefuroxime sodium 250mg, 750mg, 1.5g	Bronchitis, Pneumonia, Pyelonephritis, Meningitis, Gonorrhea	Adults: 750mg 3 times daily, IV or IM Children: 30~100mg / kg divided into 3~4 times daily IV or IM

Wontaxime Inj. Antimicrobial

Tophalosporin ambiotics Wontaxime Inj. 500mg Inj. 550mg Inj. 550m	Each vial contains Cefotaxime sodium 250mg or 500mg or 1g	Bronchitis, Pneumonia, Meningitis, Gonorrhea, Septicemia, Osteomyelitis, Peritonitis	Acute: 2~12g divided into several times IV or IM accordi to infections Children: 50~100mg / kg divi every 6~12 hours daily IV
The state of the s	Each vial contains Cefotaxime sodium 250mg or 500mg or 1g	Meningitis, Gonorrhea, Septicemia, Osteomyelitis,	several times IV or IM accordi to infections Children: 50~100mg / kg divi
	Sooning or 19	Peritonitis	9

Wontiaxone Inj. Antimicrobial

Each vial contains Ceftriaxone sodium 1g, 0.5g Various infections	Adult: 1~2g IV and IM once daily. In severe infection up to 4g may be given Pediatric: 20~50mg/kg IV and IM once daily. In severe infection up to 80mg/kg may be given
--	--

Clow Tab. Cardiovascular

Each tablet contains Rosuvastatin 5mg, 10mg, 20mg	Protopathy hypercholesterolemia, Combined hyperlipidemia	5~20mg, once daily
---	--	--------------------

Clow Z Tab. Cardiovascular

Each tablet contains Rosuvastatin 5mg, 10mg, 20mg Ezetimibe 10mg	Protopathy hypercholesterolemia, Combined hyperlipidemia	1 Tab., once daily	
--	--	--------------------	--

Litozet Tab. Cardiovascular

지	Each tablet contains Ezetimibe 10mg Atorvastatin 5mg, 10mg, 20mg, 40mg	Primary hypercholesterolemia	This drug is administered once daily, regardless of meal
---	--	------------------------------	--

Diortan Tab. Cardiovascular

Each tablet contains Valsartan 80mg, 160mg	Hypertension	1 Tab., once daily	
---	--------------	--------------------	--



Product	Active ingredient	Indication	Dosage & Administration
Daewon Clopidogre	Tab. Cardiovascular		
	Each tablet contains Clopidogrel Bisulfate 97.875mg (75mg as Clopidogrel)	Recent MI, Recent Stroke or Established Peripheral Arterial Disease. Acute Coronary Syndrome. Decrease the risk of atherothrombosis and thromboembolism.	1 Tab., once daily
orin Tab. Cardiovascu	ular		
の内にです。10/10 の内にでは、10/20 ののでは、10/20 ののでは、10/10 のでは、10/10 ので	Each tablet contains Simvastatin 10mg, 20mg Ezetimibe 10mg	Protopathy hypercholesterolemia, Combined hyperlipidemia	The doses are different according to patients
ipiwon Tab. Cardiovo	ascular		
BE IN THE PARTY OF	Each tablet contains Atorvastatin Ca 10.36 / 20.72mg (10, 20mg as Atorvastatin)	Patients with primary hypercholesterolemia and prevention of Cardiovascular Disease	1 Tab.(10mg), once daily. If needed, the maximum dosage is 80mg per day.
Vonsartan Tab. Car	diovascular		
BE B SUBSTITUTE OF STREET STRE	Each tablet contains Losartan potassium 50mg	Hypertension	1 Tab.(50mg), once daily. If needed, the maximum dose is 2 Tabs.(100mg).
Vonvelol Tab. Cardio	vascular		
BE DBewin 25mg 90% Three Fair 12.5mg Three Fair	Each tablet contains Carvedilol 12.5mg / 25mg	Essential hypertension, Chronic stable angina pectoris	Essential hypertension : 25mg once daily (2 weeks) Chronic stable angina pectoris : 25mg 2times daily (2 weeks)
wincombi _{Tab.} Care	liovascular		
SOR SOLVER DE SO	Each tablet contains Telmisartan 40mg + Amlodipine 5mg Telmisartan 40mg + Amlodipine 10mg Telmisartan 80mg + Amlodipine 5mg	Hypertension	1 Tab., once daily
ri-in-one Tab. Cardi	ovascular		
DE D	Each tablet contains Telmisartan 40mg + Amlodipine 5mg + Rosuvastatin 5mg Telmisartan 40mg + Amlodipine 5mg + Rosuvastatin 10mg Telmisartan 80mg + Amlodipine 5mg + Rosuvastatin 5mg Telmisartan 80mg + Amlodipine	Hypertension & Hyperlipidemia	1 Tab., once daily

5mg + Rosuvastatin 10mg

Product	Active ingredient	Indication	Dosage & Administration

TG Fenone Tab. Cardiovascular



Each tablet contains

Choline Fenofibrate 178.8 mg

(as fenofibric acid 135 mg)

Treatment of Severe
Hypertriglyceridemia and
Treatment of Primary
Hypercholesterolemia or Mixed
Dyslipidemia

1 Tab., once daily

Spiracton Tab. Cardiovascular



Each tablet contains

Spironolactone 25mg, 50mg

Heart failure, Hypertension and hypokalemia

1~2 Tabs., daily

Uptava Cap. Cardiovascular



Each tablet contains

Pitavastatin calcium 2mg,

Fenofibrate Granules 241.51mg

Treatment of complex dyslipidemia with high triglyceride levels and low HDL-cholesterol levels, although LDL-cholesterol levels are adequately controlled during pitavastatin 2mg monotherapy in adult patients at high risk of coronary heart disease (CHD)

Take 1 capsule once a day immediately after meals.
Serum lipid levels (total cholesterol (TC), LDL-C, and triglycerides (TG)) should be monitored in response to treatment. patients receiving pitavastatin and fenofibrate concomitantly are not switched to this drug since there is no bioequivalence data.

Mericle Tab. Antidiabetic



Each tablet contains

Glimepiride 2mg

Insulin-independent diabetes(Type II)

It should be adjusted according to patients. 1 Tab., once daily. It should be administrated before the first meal of a day.

Janulitin Tab. Antidiabetic



Each tablet contains

Sitagliptin 25, 50, 100mg

This drug is administered as an adjunct to diet and exercise therapy to improve blood sugar control in patients with type 2 diabetes.

Take 100 mg once a day in monotherapy or combination therapy, and the maximum daily dose is 100 mg.
This medicine can be taken regardless of meals.

Janulitin Combi Tab. Antidiabetic



Each tablet contains
Sitagliptin 50mg
Metformin hydrochloride 500,
850, 1000mg

This drug is administered as an adjunct to diet and exercise therapy to improve blood sugar control in patients with type 2 diabetes. If metformin or sitagliptin monotherapy cannot adequately control blood sugar or if sitagliptin and metformin combination therapy is substituted

Take twice a day with food, and the dose is gradually increased to reduce gastrointestinal side effects caused by metformin.



Product	Active ingredient	Indication	Dosage & Administration
Dapasita Tab. 10/100mg	Antidiabetic		
CTINALE S 10/100型記録 CHINALE S 10/100型記録 CHINALE S 10/100型記録 CHINALE S 10/100型記録 COMMON	Each tablet contains Dapagliflozin 10mg Sitagliptin 100mg	This drug is administered as an adjunct to diet and exercise to improve blood sugar control in type 2 diabetic patients for whom sitagliptin and dapagliflozin are appropriately administered.	Take 1 tablet daily regardless of meal. Take it whole without crushing, dividing, or chewing.
Dapasita-M SR Tab.	Antidiabetic		
Clinical Trial TV 1911 CHARGE AND TO THE SHAPE AND THE SH	Each tablet contains Dapagliflozin 5mg, 10mg Sitagliptin 50mg, 100mg Metformin hydrochloride 500mg, 750mg, 1000mg	This drug is administered as an adjunct to diet and exercise therapy to improve glycemic control in type 2 diabetic patients for whom a combination of dapagliflozin, sitagliptin and metformin is appropriate.	Patients taking 10/100/1000 mg sustained-release tablets of this drushould take 1 tablet once a day. Patients taking 5/50/500 mg, 5/50/750 mg and 5/50/1000 mg extended-release tablets of this drushould take 2 tablets once a day.
Dapawon Tab. Antidio	abetic		
Clinical Trial Trial Thin 是 w 10mg Chin 是 w 5mg Character Charact	Each tablet contains Dapagliflozin 5mg, 10mg	Type 2 Diabetes: This drug is administered as an adjunct to diet and exercise to improve blood sugar control in patients with type 2 diabetes.	This medicine may be taken orally once daily at any time of the day, regardless of the meal. Take it whole without crushing, dividing, or chewing.
Dapawon-M SR Tab.	Antidiabetic		
다파원엠 AISS 이 다파원엠 AISS 이 다파원엠 AISS 이 다파원엠 AISS 이 COCUON AISS O COCUON AI	Each tablet contains Dapagliflozin 5mg, 10mg Metformin hydrochloride 500mg, 1000mg	Type 2 Diabetes: This drug is administered as an adjunct to diet and exercise to improve blood sugar control in patients with type 2 diabetes.	This drug is usually administered once daily with the evening mean of dapagliflozin 10mg and extended release metformin 2000mg.
		·	
Tralitin Tab. Antidiabet	tic		
Fralitin Tab. Antidiabet	Each tablet contains Linagliptin 5mg	This drug is administered as an adjunct to diet and exercise therapy to improve blood sugar control in patients with type 2 diabetes. - Monotherapy - Combination therapy	Take 1 tablet once a day
BE BE B B B B B B B B B B B B B B B B B	Each tablet contains Linagliptin 5mg	an adjunct to diet and exercise therapy to improve blood sugar control in patients with type 2 diabetes. - Monotherapy	Take 1 tablet once a day

linagliptin and metformin.

a day

1000mg

Product	Active ingredient	Indication	Dosage & Administration
npaone таb. Antid	iabetic		
BE	Each tablet contains Empagliflozin 10mg, 25mg	This drug is administered as an adjunct to diet and exercise therapy to improve glycemic control in adults with type 2 diabetes.	Take 1 tablet once a day
mpasita Tab. Antid	iabetic		
Clinical	Each tablet contains Empagliflozin 10mg+Sitagliptin 100mg Empagliflozin 25mg+Sitagliptin 100mg	Type 2 Diabetes:	Take 1 tablet once a day
mpasita-M SR Tab.	Antidiabetic		
Clinical	Each tablet contains Empagliflozin 25mg+Sitagliptin 100mg+Metformin 1000mg Empagliflozin 12.5mg+Sitagliptin 50mg+Metformin 750mg Empagliflozin 12.5mg+Sitagliptin 50mg+Metformin 500mg Empagliflozin 10mg+Sitagliptin 10mg+Sitagliptin 10mg+Sitagliptin	Type 2 Diabetes:	25/100/1000mg: Take 1 tablet once a day 12.5/50/750mg: Take 2 tablets once a day 12.5/50/500mg: Take 2 tablets once a day 10/100/1000mg: Take 1 tablet once a day 5/50/750mg: Take 2 tablets on a day 5/50/500mg: Take 2 tablets on a day

Licure Susp. Hepatic Each pouch(20g) contains L-leucine 0.952g L-isoleucine 1.904g L-valine 1.144g Hypoalbuminemia 1 Pouch(20g), 3 times daily

a day

Empagliflozin 5mg+Sitagliptin

Empagliflozin 5mg+Sitagliptin

50mg+Metformin 750mg

50mg+Metformin 500mg

Metran Cap. Psychoneurotic Each capsule / ampoule(1mL) contains Mecobalamin 500μg Peripheral neuronic disorder. Megaloblastic anemia caused by deficiency of Vitamin B12. Cap. : Adults : 1500μg daily divided into 3 times lnj. : Adults : 1 Amp. / day 3 times a week IM, SC

Each Soft cap. / ampoule contains Choline Alfoscerate 400mg / 1g / 400mg	Improvement of cognitive dysfunction in patients with dementia of neurodegenerative and vascular origin	Tablet and Syrup: 400mg, 2~3 times daily Injection: 1g, once daily
--	---	--



톨비스 정 15밀리그램 물비스 정 30밀리그램 톨비스 정 30밀리그램

Each tablet contains

Tolvaptan 15mg, 30mg

Product	Active ingredient	Indication	Dosage & Administration
erasin Tab. Endocri	ne		
BE DE STATE OF THE	Each tablet contains Terazosin HCI 2.314mg(as Terazosin 2mg)	Hypertension(mild-moderate). Urinary symptoms of benign prostatic hyperplasia	Hypertension: Initial dose 1mg maintenance dose 2~10mg. BPH: Initial dose 1mg, maintenance dose 5~10mg.
gnafil Tab. Endocri	ne		
BE 100 Daewoin Daewo	Each tablet contains Sildenafil 100mg	Impotence	50mg once as needed, approximately 1 hour before sexual activity
olipro таb. Endocrin	ne		
BE STAPA A PARA CONTROL CONTR	Each tablet contains Solifenacin succinate 5mg, 10mg	Overactive bladder with symptoms of urge urinary incontinence, urgency, and frequency	5mg~10mg, once daily
enamezin Cap. Kic	In one time dose (7 capsules) Spherical adsorptive carbon 2g	Chronic renal failure	7 Caps., 3 times daily (21 Caps day)
OWPOTO Suspension E포타 연락액 20 ml Sugar Free Man R Hotol Strill Walled R Hotol Sugar Free Man R Hotol Strill Walled R Hotol Strill	Kidney Disease Each 1 pouch (20 mL) contains Calcium Polystyrene Surfonate	Hyperkalemia	Calcium polystyrene sulfonate 15 to 30 g per day divided into 2 to 3 doses and administered
emerwon Tab. Kid	nev Disease		orally.
のでは、 のでは、 はいました。 はいまた。 はいまた。 はいまた。 はいまた。 はいまた。 はいまた。 はいまた。 はいまた。 はいまた。 はいまた。 はいまた。 はいまた。 はいまた。 はいまた。 はいまた。 はいまた。 はいまた。 はいまた。 は	Each tablet contains Sevelamer carbonate 800mg	Serum phosphorus control in patients with chronic kidney disease receiving dialysis	This medicine should be taker three times a day with meals.
olvis Tab. Kidney Dis	sease		
BE BE			The recommended initial dose

hypervolemic or euvolemic

heart failure, syndrome of

secretion (SIADH), etc

hyponatremia in patients with

abnormal antidiuretic hormone

concentration, increase the

dose to 30 mg once a day at

an interval of at least 24 hours,

and increase to a maximum of

60 mg once a day. To minimize

the risk of liver damage, do not

administer for more than 30 days.

Product	Active ingredient	Indication	Dosage & Administration
Risewon Plus Tab. Ost	eoporosis		
RED D RESULT TO PROVIDE THE	Each tablet contains Risedronate Sodium 2.5 Hydrate 40.162mg + Cholecalciferol(Vitamin D) Concentrated Powder 56mg	Treatment and prevention of osteoporosis in postmenopausal women / Treatment of osteoporosis in men	1 Tab., weekly

Forend Tab. Osteoporosis

Each tablet contains Alendronate sodium 91.37mg	Osteoporosis	1 Tab., once weekly
---	--------------	---------------------

Forend Plus D Tab. Osteoporosis

TOID!			
Forend Plus D Tab. Sodum abendmente binyane Contentable Concentrate(sounder tern) 4 Tab. Duewon Pharm. Co., Ltd.	Each tablet contains Alendronate sodium 91.37mg Cholecalciferol concentrated powder 53.33mg(5600IU as Vitamin D3)	Treatment of osteoporosis in postmenopausal woman. Treatment to increase bone mass in men with osteoporosis.	1 Tab., once weekly


Curasten sol. Others

INTERPRETATION AND THE PROPERTY OF THE PROPERT	Each 10mL contains Citrulline maleate 1g	Adynamia	10mL, 2~3 times daily
SOM STATE OF			

Freefol MCT Inj. 20mL, 50mL Others

THE COMMENT OF THE PROPERTY OF	In 1mL Propofol 10mg (1%) Propofol 20mg (2%)	Anesthesia	General Anesthesia - Adults administration 4mL, every 10sec. for induction.
--	--	------------	---

Megex-I _{Susp.} Others





Product	Active ingredient	Indication	Dosage & Administration
1egex -I ES susp.	Others		
변환 전문 보고	In 1mL Megestrol acetate 125mg	Anorexia, Cachecia of cancer or AIDS patients/ Significant weight loss caused by unknown reason.	Take Megestrol Acetate 625 mg(5mL)/ day. Shake well before administration.
Dramin-G Soft Cap.	Mutivitamin		
Soft Cap. (with Ginseng) 30 Soft Capa. - Authorst Soft Capa. - A	Each soft capsule contains Korean Ginseng 40mg Aloe extr. 5mg Vitamins Minerals	Supplementation of vitamins and minerals	Adults: 1 Cap., daily
Dramin-F Soft Cap.	Mutivitamin		
Kerran Ginseng a Reyal July Oromin-F Soft Cap. 30 Cap. Natural Korean Cinseng Royal Jelly Hutti-Vitamia talong	Each soft capsule contains Korean Ginseng 40mg Aloe extr. 5mg Vitamins Minerals	Supplementation of vitamins and minerals	Adults: 1 Cap., daily
Pramin-E Soft Cap.	Mutivitamin		
Multivitamins with Cinseng + Garlic Ext. Oramin-E Soft Cap. 30 Cap. Nutural Korean Gineeng Garlic Ext. Multivitamins Microsoft Microso	Each soft capsule contains Korean Ginseng 100mg Garlic ext. 10mg Vitamins Minerals	Supplementation of vitamins and minerals	Adults: 1 Cap., daily
Coldwon Cold Q sy	r. OTC		
중합감기약 고다닌 교드큐시엄 고다면 교드큐시엄 고다면 교드큐시엄 고다면 교드큐시엄 모드큐시엄 모르큐시엄 모	Each pouch contains Acetaminophen 325mg Chlorpheniramine Maleate 2.5mg Dextromethorphan HBr 16mg dl-methylephedrine HCl 21mg Guaifenesin 83mg Caffeine Anhydrous 25mg	Temporarily relieves common cold/flu symptoms	Please see the insert
Coldwon Cough Q	Syr. OTC		
기침감기약 코드H우닌 코프큐시럽 마니그 보는 모드 기침	Each pouch contains Acetaminophen 325mg Dextromethorphan HBr 16mg dl-methylephedrine HCl 21mg	Temporarily relieves common cold/flu symptoms	Please see the insert

Guaifenesin 83mg

Caffeine Anhydrous 25mg

Product	Active ingredient	Indication	Dosage & Administration
Coldwon Nose O.S. svr	OTC		

Coldwon Nose Q 5 Syr.



Each pouch contains Acetaminophen 325mg Pseudoephedrine HCl 30mg Chlorpheniramine Maleate 2.5mg Guaifenesin 42mg Caffeine Anhydrous 25mg

Temporarily relieves common cold/flu symptoms

Please see the insert

Coldwon Night syr. OTC



Each pouch contains Acetaminophen 325mg Dextromethorphan HBr 16mg Pseudoephedrine HCl 30mg Doxylamine Succinate 12.5mg

Temporarily relieves common cold/flu symptoms

Please see the insert

Fine-Q Acetphen Syr. OTC



Each pouch contains Acetaminophen 640mg

Fever and pain due to cold [pain], headache, neuralgia, muscle pain, menstrual pain, sprain pain [sprain pain]

Please see the insert

Fine-Q Ibufen syr. OTC



Each pouch contains lbuprofen 400mg

Rheumatoid arthritis, juvenile [young or youngonset] rheumatoid arthritis, osteoarthritis (degenerative joint disease), fever and pain due to cold, lumbar pain, dysmenorrhea, postoperative pain

Please see the insert

Coldwon Kids Cold syr. OTC



Each pouch contains Acetaminophen 75mg Chlorpheniramine Maleate 0.9375mg Dextromethorphan HBr 6mg dl-methylephedrine HCl 9.375mg Guaifenesin 31.25mg

Temporarily relieves common cold/flu symptoms

Please see the insert



Product	Active ingredient	Indication	Dosage & Administration
dwon Kids Cou	gh syr. OTC		
어린이 기침감기약 ILH I I I I I I I I I I I I I I I I I I	Each pouch contains Guaifenesin 10.5mg Pentoxyverine citrate 2.5mg DL-Methylephedrine HCl 3.125mg	Temporarily relieves common cold/flu symptoms	Please see the insert.
dwon Kids Nos	e S syr. OTC		
어린이 코감기약 THY THY THY THY THY THY THY TH	Each pouch contains Chlorpheniramine Maleate 1.0 mg Pseudoephedrine HCl 15mg	Temporarily relieves common cold/flu symptoms	Please see the insert.
dwon Kids Fen	Syr. OTC		
	Each pouch contains Acetaminophen 160mg	Temporarily relieves common cold/flu symptoms	Please see the insert.
dwon Kids Ibuf	en syr. OTC		
어린이 해열제 THY 이부판시합 이부판시합 이부판시합 이부판시합 이부판시합 함열 통증 구통 발발 THY THY THY THY THY THY THY THY THY TH	Each pouch contains Ibuprofen 100mg	Temporarily relieves common cold/flu symptoms	Please see the insert.

Food Supplements

Low Molecular Collagen Skin and inner-beauty



Each pouch contains Low molecular collagen 1,500 mg Vitamin C 100 mg Biotin 30 µg Ornithine hydrochloride 30 mg Mucin(25%) 10 mg

Inner Beauty & Skin moisture

Take 1 sachet once a day

Product	Active ingredient	Indication	Dosage & Administration
---------	-------------------	------------	-------------------------

White Glutathione Film Skin and inner-beauty



Each film contains Yeast Extraction (L-glutathione 50%) 130 mg Vitamin C 11.26% Hyaluronic acid 7.77% Milk thistle (water soluble) 4.44% Hydrolyzed Elastin 0.23%

Inner Beauty & Whitening

Take 1 film once a day

rTG Omega 3 Blood Circulation



Each capsule contains EPA, DHA 600 mg Vitamin D 10 μg(100%) Vitamin E 11 mg α-TE

Blood circulation & Lipid level in the blood

Take 1 capsule once a day

Banaba for Blood sugar level Blood Circulation



Each tablet contains Corosolic acid 1.3 mg Vitamin E 11 mg α-TE(100%) Chromium 30 µg(100%) Niacin 15mgNE(100%) Zinc 8.5 mg(100%) Biotin 30 μg(100%) Vitamin B1 1.2 mg(100%) Vitamin B2 1.4 mg(100%) Folic acid 400 µg(100%)

Blood Sugar Level

Take 1 tablet once a day

CoQ10 Antioxidant Blood Circulation



Each capsule contains CoEnzyme Q10 100 mg Vitamin B1 1.2 mg(100%) Vitamin B2 1.4 mg(100%) Vitamin B6 1.5 mg(100%) Vitamin C 30 mg(30%) Vitamin E 3.3 mg α-TE(30%) Niacin 15 mgNE(100%) Pantothenic acid 5 mg(100%) Selenium 16.5 μg(30%) Zn 2.55 mg(30%)

Anti-Oxidant & Blood pressure

Take 1 capsule once a day



		Indication	Dosage & Administration
ganic Probiotics	Intestinal Health		
대원헬스랩 유기농장대원 프로바이오틱스 (50억 CFU 함유) 전략가당식품 전략 (50억 CFU 함유) 전략가당식품 전략 (50억 CFU 함유)	Each pouch contains Probiotics 34 bil CFU (11 strains mixture)	Intestinal Health	Take 1 sachet once a day
	lood sugar care Intestinal Hea		

Take 1 sachet once a day

Enzyme with melon taste Intestinal Health

strains mixture)

Corosolic acid 1.3 mg



Level


Lutein zeaxanthin Astaxanthin Eye Health

Each capsule contains Lutein + Zeaxanthin 20 mg Astaxanthin 4 mg Zinc 8.5 mg(100%) Selenium 55 μg(100%)	Eye Health	Take 1 capsule once a day
---	------------	---------------------------


Red Ginseng Red Ginseng

Red Ginseng	Red Ginseng		
대원헬스랩 면역인 6년근홍삼스티 RED 2011 1 4 20 10 10 10 10 10 10 10 10 10 10 10 10 10	Each pouch contains Ginsenoside Rg1, Rb1, Rg3: 7 mg	Immunity	Take 1 sachet once a day

Product	Active ingredient	Indication	Dosage & Administration
loe gel stick jelly	Immunity		
대원혈스랩 면역 알로에 젤리 알로에 결 총 다당체 120 mg 전쟁기용식용 200 g co g x MS) Daewon 대원제작	Each pouch contains Polysaccharide 120 mg	Immunity	Take 1 sachet once a day
hosphatidylserin	+ Ginko Memory		
대원헬스랩 인지 • 기억력엔 PS 징코 포스파티딜세린, 은행잎 추출물, 아연 전라기능식품 13.5 g/450 mg x 30억술) Daewon 대원제업	Each capsule contains Phosphatidyl serin 300 mg Flavonol glycoside 28 mg Zinc 8.5mg(100%)	Memory	Take 1 capsule once a day
anthigen Diet	Weight Management		
지원 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전	Each capsule contains Xanthigen 600 mg (Fucoxanthin 3 mg, Punicic acid 174 mg) Seaweeds mixture	Weight Management	Take 1 capsule once a day



fermentation extracts



Advanced healthcare company, for better life.

Daewon Pharm.Co.,Ltd.

E-mail jwkang@daewonpharm.com **Pharmaceutical Products** bskim@daewonpharm.com **Food Supplements** davidkim@daewonpharm.com

Tel 82-2-2204-6971~9 Fax 82-2-499-9110

Head Office 386 Cheonhodaero, Sungdong-gu, Seoul, Korea

Hyangnam Factory 24 Jeyakgongdan 1-gil, Hyangnam-eup, Hwaseong-si, Gyeonggi-do, Korea **Jincheon Factory** 44 Yongso 2-gil, Gwanghyewon-myeon, Jincheon-gun, Chungcheongbuk-do, Korea